



Customer: MOONWLKR
Customer Sample ID: 25mg Europa (Blue Dream Berry)
Laboratory Number: 20K0305-02
Servings per Container: 4.5938



Cannabinoid Profile


Extraction Technician: DF
Analytical Chemist: CB

Extraction Date(s)	Analysis Date(s)
11/16/2020	11/16/2020

Cannabinoids (HPLC)		Results		
	LOD (mg/g)	%	mg/g	mg/gummy
Cannabidiol (CBD)	<0.006			
Cannabidiolic Acid (CBD-A)	<0.006			
Cannabigerolic Acid (CBG-A)	<0.006			
Cannabigerol (CBG)	<0.006			
Tetrahydrocannabivarin (THCV)	<0.006			
Cannabinol (CBN)		0.04	0.368	1.69
delta 9-Tetrahydrocannabinol (THC)	<0.006			
delta 8-Tetrahydrocannabinol		0.61	6.06	27.9
Cannabichromene (CBC)	<0.006			
delta-9-Tetrahydrocannabinolic Acid (THC-A)	<0.006			
Cannabinoids Total		%	mg/g	
Max Active THC		0.00	0.00	
Max Active CBD		0.00	0.00	
T.Active Cannabinoids		0.04	0.37	
Total Cannabinoids		0.64	6.43	

Following USDA guidelines on uncertainty, Altitude Consulting's uncertainty are calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Cannabinoid (mg/g)



■ Cannabichromene (CBC)	■ Cannabidiol (CBD)	■ Cannabidiolic Acid (CBD-A)	■ Cannabidiol (CBD)	■ Cannabigerol (CBG)
■ Cannabigerolic Acid (CBG-A)	■ Cannabinol (CBN)	■ delta 8-Tetrahydrocannabinol	■ delta 9-Tetrahydrocannabinol (THC)	■ delta-9-Tetrahydrocannabinolic Acid (THC-A)
■ Tetrahydrocannabivarin (THCV)				

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.



Customer: MOONWLKR
Customer Sample ID: 25mg Europa (Blue Dream Berry)
Laboratory Number: 20K0125-02
Servings per Container: 4.5701



Metals Profile

Extraction Technician: MF
Analytical Chemist: MF

Extraction Date(s)	Analysis Date(s)
11/6/2020	11/13/2020

Metals (ICP/MS)	Method Code	Results	Units
Arsenic	ICPMS.1	<20.0	ppb
Cadmium	ICPMS.1	<10.0	ppb
Lead	ICPMS.1	5.00	ppb
Mercury	ICPMS.1	<5.00	ppb

Limits for metals vary greatly depending on usage of the sample. Altitude Consulting recommends researching federal and state regulatory limits.

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.



Customer: MOONWLKR
Customer Sample ID: 25mg Europa (Blue Dream Berry)
Laboratory Number: 20K0155-02
Servings per Container: 4.7064



Pesticides Profile

Extraction Technician: MF
Analytical Chemist: MF

Extraction Date(s)	Analysis Date(s)
11/6/2020	11/13/2020

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
Abamectin	0.010	0.200	ND	Pass
Acequinocyl	0.010	4.000	ND	Pass
Beta-Cyfluthrin	0.050	2.000	ND	Pass
Bifenazate	0.010	0.400	ND	Pass
Bifenthrin	0.010	0.100	ND	Pass
Cypermethrin	0.010	1.000	ND	Pass
Daminozide	0.020	0.800	ND	Pass
Dimethomorph	0.010	2.000	ND	Pass
Etoxazole	0.010	0.400	ND	Pass
Fenhexamid	0.010	1.000	ND	Pass
Flonicamid	0.010	1.000	ND	Pass
Fludioxonil	0.010	0.500	ND	Pass
Imidacloprid	0.010	0.500	ND	Pass
Myclobutanil	0.010	0.400	ND	Pass
Paclobutrazol	0.010	0.400	ND	Pass
Piperonyl Butoxide	0.010	3.000	ND	Pass
Pyrethrins	0.010	2.000	ND	Pass
Quintozene	0.050	0.800	ND	Pass
Spinetoram	0.010	1.000	ND	Pass
Spinosad	0.010	1.000	ND	Pass
Spirotetramat	0.010	1.000	ND	Pass
Thiamethoxam	0.010	0.400	ND	Pass
Trifloxystrobin	0.010	1.000	ND	Pass

Reporting Limits will vary based on sample extraction weight used for the analysis.

Altitude Consulting, LLC utilizes NIST traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced.